

# OT Mastery

## Dementia Care

**1. Which of the following is not one of the four most common types of dementia?**

- A. Cerebrovascular accident
  - B. Frontotemporal dementia
  - C. Alzheimer's disease
  - D. Lewy body dementia
- 

**2. A 55-year-old patient is demonstrating early signs of dementia. What might be the best mode of treatment for a therapist to use with this patient?**

- A. Maintenance
  - B. Modification
  - C. Remediation
  - D. None of the above
- 

**3. A therapist is providing education to a group of middle-aged women on risk factors for dementia. What should the therapist not include under the category of intrinsic risk factors for dementia?**

- A. Unmanaged depression
  - B. Having a low cognitive reserve
  - C. Being a woman
  - D. High cholesterol
- 

**4. A therapist is educating older adults on body and mind changes that are typically associated with aging. What is not one of these normal age-related changes?**

- A. Some trouble learning new concepts
  - B. An increase in brain cells
  - C. Poor coordination and slowed reaction time
  - D. Difficulty multitasking
- 

**5. What is a common complication/risk of dementia?**

- A. Fall-related injuries
  - B. Pneumonia
  - C. Joint contractures
  - D. All of the above
-

**6. A patient scores a 4.0 on the ACL assessment. What does this say about their functional abilities?**

- A. They need help with some problem solving
  - B. They need close supervision
  - C. Both A & B
  - D. They need help getting dressed
- 

**7. What ACL score states that a patient can live alone with some supervision for parts of the day?**

- A. 4.6
  - B. 4.8
  - C. 4.4
  - D. 4.2
- 

**8. What caregiver education should a therapist firstly provide to caregivers of a bedbound patient?**

- A. Progression and prognosis of the disease
  - B. Positioning schedules
  - C. Environmental modifications
  - D. Ways to minimize wandering
- 

**9. Which of the following assessments does not assess IADL function?**

- A. AMPS
  - B. TOGSS
  - C. EFPT
  - D. Kettle Test
- 

**10. Which of the following is not the purpose of a dementia medication?**

- A. Preventing the breakdown of acetylcholine
  - B. Attacking amyloid plaques in the brain
  - C. Boosting the function of the language processing part of the brain
  - D. Regulating the production of glutamate
- 

**11. A 60-year-old individual with severe dementia is bedbound and dependent in all ADLs and IADLs. What setting is best for this patient?**

- A. Skilled nursing facility
  - B. Memory care unit
  - C. Home care
  - D. Assisted living facility
-

**12. What is the main difference between long-term care and a memory care unit?**

- A. A memory care unit is within an assisted living facility and long-term care is within a skilled nursing facility
  - B. Long-term care is a locked ward that provides specialized 1:1 care for individuals with dementia and other major cognitive impairments while a memory care unit offers IADL assistance and some ADL assistance to those with physical health concerns
  - C. There is no difference in the offerings these settings provide
  - D. A memory care unit is a locked ward that provides specialized 1:1 care for individuals with dementia and other major cognitive impairments while long-term care offers IADL assistance and some ADL assistance to those with physical health concerns
- 

**13. A patient who is suspected to have dementia might see what doctor to get a diagnosis?**

- A. Social worker
  - B. Audiologist
  - C. Neurologist
  - D. Pediatrician
- 

**14. Which of the following is an appropriate environmental modification for individuals with dementia who wander?**

- A. Moving into a memory care unit
  - B. Put alarms on exit doors
  - C. Remove exterior doors
  - D. Remove locks on interior doors
- 

**15. The family of a woman with early onset dementia is having trouble coordinating her affairs in light of her new diagnosis. What professional can best assist with this?**

- A. Registered nurse
  - B. Social worker
  - C. Occupational therapist
  - D. Geriatrician
-